

wayco

EQUIPMENT



HOBeca

CATALOGUE 2022

Jacks	3
Jack Stands	6
Ramps	6
Bottle Jacks	7
Transmission Jacks	8
Engine Lifters & Stands	9
Rams	10
Hydraulic Oil	10
Service Lifters	11
Hoists	11
Shop Presses	12
Porta Power Kits	13
Lifting Tables	14
Pallet Jacks	14
Measuring Tools	15
Bench Vices	16
Creeper Seats	16
Storage & Benches	17
Oil Drains	19
Parts Washers	19
Sandblasters	20
Wheel Braces	21
Air Tanks	21
Spare Parts List	22

While every effort has been made to ensure the accuracy of the information contained in this catalogue, variances of colour and specification may occur without notice pending product availability from Wayco Equipment's factory suppliers. Minor specification changes may be accepted as part of ongoing supply.

**Garage Jack 2.5 Ton**

- Reliable, good value workshop floor jack for lifting vehicles and equipment.
- Always use Jack Stands to hold the workpiece at the desired height.
- Min Height: 142mm
- Max Height: 500mm

JACG-W1000A | 2.5 Ton

**Garage Jack Super Low 2.1 Ton**

- Super low profile (87mm) to fit under lowered vehicles.
- Fitted with a 2 speed pump.
- Always use Jack Stands to hold the workpiece at the desired height.
- Min Height: 87mm
- Max Height: 480mm

JACG-W1001 | 2.1 Ton x 87mm Min

**Garage Jack Super Low 2.5 Ton**

- Super low profile (87mm) to fit under lowered vehicles.
- Fitted with a 2 speed pump.
- Always use Jack Stands to hold the workpiece at the desired height.
- Min Height: 87mm
- Max Height: 480mm

JACG-W1021 | 2.5 Ton x 87mm Min

**Race Jack Steel/Alloy 2.5 Ton**

- Steel/Aluminium Race Jack for mobility.
- Low profile Jack 90mm.
- Always use Jack Stands to hold the workpiece at the desired height.
- Min Height: 100mm
- Max Height: 465mm

JACG-W1004A | 2.5 Ton x 100mm Min

**Garage Jack Super Low 3.0 Ton**

- Super low profile (87mm) to fit under lowered vehicles.
- Fitted with a 2 speed pump and Nylon Wheels.
- Always use Jack Stands to hold the workpiece at the desired height.
- Min Height: 87mm
- Max Height: 540mm

JACG-W1001BD | 3.0 Ton x 87mm Min

**Garage Jack Super Low 2.1 Ton**

- Super low profile (87mm) to fit under lowered vehicles.
- Unique T-handle with dial-release.
- Fitted with a 2 speed pump.
- Always use Jack Stands to hold the workpiece at the desired height.
- Min Height: 87mm
- Max Height: 480mm

JACG-W1001CD | 2.1 Ton x 87mm Min

**Garage Jack Long**

- Long base floor jack offers extra reach under vehicles and other objects to be lifted.
- Always use Jack Stands to hold the workpiece at the desired height.
- JACG-W1006: Min Height: 130mm | Max Height: 600mm
- JACG-W1007: Min Height: 160mm | Max Height: 560mm
- JACG-W1008: Min Height: 170mm | Max Height: 570mm

JACG-W1006 | 3.0 Ton x 130mm Min

JACG-W1007 | 5.0 Ton x 160mm Min

JACG-W1008 | 10.0 Ton x 170mm Min



Hydraulic Air Jack

- Preferred by commercial users.
- Comes with 4 adaptors.
- JACH-W1010: Min Height: 230mm | Max Height: 325mm (530mm with Screwed Extension)
- JACH-W1011: Min Height: 295mm | Max Height: 440mm

JACH-W1010 | 20.0 Ton x 230mm Min

JACH-W1011 | 50.0 Ton x 295mm Min



Hydraulic Air Jack 2-Stage & 3-Stage

- Preferred by commercial users.
- Comes with 2 extensions: 75mm + 45mm.
- Powerful lifting capability from a reasonably compact piece of equipment.
- JACH-W1011C: Min Height: 125mm | Max Height: 397mm
- JACH-W1011B: Min Height: 215mm | Max Height: 564mm
- JACH-W1011A: Min Height: 160mm | Max Height: 472mm

JACH-W1011C | 40-20-10 Ton

JACH-W1011B | 50-25 Ton

JACH-W1011A | 50-25-10 Ton



Forklift Jack 4,000Kg

- Perfect for performing maintenance on forklift trucks, an innovative alternative to a standard toe jack, allowing multiple jacking positions to suit a variety of trucks.
- Fork Min Height: 60mm
- Fork Max Height: 350mm

JACFO-W1012 | 4,000Kg x 350mm Max



Garage Jack Small 2.0 Ton

- Economy model floor jack or home or mobile workshop use.
- Always use Jack Stands to hold the workpiece at the desired height.
- Min Height: 130mm | Max Height: 380mm

JACG-W1014A | 2.0 Ton x 130mm Min



Scissor Jack 1.0 Ton

- Scissor jacks are devices that are used to slowly and carefully lift vehicles off of the ground.
- They are called scissor jacks because they are made of diagonal pieces of metal that contract and expand in a way similar to that of a pair of scissors.
- Min Height: 85mm | Max Height: 382mm

JACS-W1013 | 1.0 Ton



Scissor Jack Cross Handle

- Handle only.
- Suits Scissor Jack JACS-W1013.

JACS-W2061




Axle Stand (1Pair)

- Axle stands, sometimes called "Jack Stands" are used to support cars and other vehicles or work objects that have been lifted off the ground, to allow access to the underside.
- STAA-W1051: Min Height: 295mm | Max Height: 425mm
- STAA-W1053: Min Height: 460mm | Max Height: 715mm

STAA-W1051 | 2.4 Ton

STAA-W1053 | 12.0 Ton



Car Ramp (1 Pair) 2 Ton

- This heavy-duty set of car ramps represent great value for money.
- Supplied as a pair these ramps have a combined capacity of 2000kg (2 Ton).
- Ideal for home or professional use.
- Length: 840mm | Height: 200mm | Width: 215mm

RAMC-W1055 | 2.0 Ton



Hydraulic Bottle Jacks

- Bottle Jacks can be used in a range of applications and industries including Automotive, Engineering, Transport and Construction.
- Easy to use and very mobile.
- JACB-W1453: Min Height: 200mm | Lift: 130mm Adjustment: 70mm | Total Height: 400mm
- JACB-W1454: Min Height: 205mm | Lift: 130mm Adjustment: 75mm | Total Height: 410mm
- JACB-W1456: Min Height: 210mm | Lift: 145mm Adjustment: 75mm | Total Height: 430mm
- JACB-W1459: Min Height: 230mm | Lift: 150mm Adjustment: 70mm | Total Height: 450mm
- JACB-W1461: Min Height: 245mm | Lift: 150mm Adjustment: 60mm | Total Height: 455mm
- JACB-W1464: Min Height: 300mm | Lift: 200mm Total Height: 500mm

JACB-W1453 | 8.0 Ton x 200mm Min HT

JACB-W1454 | 10 Ton x 205mm Min HT

JACB-W1456 | 12 Ton x 210mm Min HT

JACB-W1459 | 15 Ton x 230mm Min HT

JACB-W1461 | 20 Ton x 245mm Min HT

JACB-W1464 | 50 Ton x 300mm Min HT



Hydraulic Squat Bottle Jack 10.0 Ton

- Bottle Jacks can be used in a range of applications and industries including Automotive, Engineering, Transport and Construction.
- Easy to use and very mobile.
- Squat Jacks are ideal when ground clearance is an issue.
- Min Height: 180mm | Lift: 100mm | Adjustment: 50mm Total Height: 320mm

JACB-W1455 | 10 Ton x 180mm Min HT



Air / Hydraulic Bottle Jack 12.0 Ton

- Bottle Jacks can be used in a range of applications and industries including Automotive, Engineering, Transport and Construction.
- Easy to use and very mobile.
- Min Height: 260mm | Lift: 170mm | Adjustment: 80mm Total Height: 510mm

JACB-W1465 | 12 Ton x 260mm Min HT



Transmission Lifter 500kg

- Foot operated up and down with a four way adjustable head.
- Safely lift, support or lower transmissions for repair.
- Lockable wheels.
- Min Height: 978mm | Max Height: 1955mm
Stroke: 977mm | Saddle Tilt: Fwd 20°- Back 45°- Side 22° & 28° | Base Size: 1000L x 1090W

JACT-W1101 | 500kg x 978mm Min



Transmission Jack 1,000kg

- Foot operated up and down with a two way adjustable head.
- Safely lift, support or lower transmissions for repair.
- Support bars for stability.
- Lockable wheels.
- Min Height: 890mm | Max Height: 1870mm

JACT-W1102 | 1,000kg x 890mm Min



Truck Transmission Lifter 1.5 Ton

- 4 Way adjustable head and handle swivels 360°
- Min Height: 230mm | Max Height: 890mm

JACT-W1106 | 1.5 Ton x 230mm Min



Truck Transmission Jack 1.0 Ton

- 2 Way adjustable head and handle swivels 360°
- Min Height: 220mm | Max Height: 595mm

JACT-W1107A | 1.0 Ton x 220mm Min



Load Leveller 750 Lb

- Adjustable load leveler to ensure balanced lifts

LOAL-W1205 | 750 Lb



Engine Stand 1,000 Lb

- Rotating engine stand is constructed with heavy-duty steel providing long term durability.
- An extra-wide base provides maximum stability.
- Mounted on 4 heavy duty castors for extra manoeuvrability.
- Working Height: 880mm

STAE-W1152 | 1,000 Lb



Engine Support Bar 0.3 Ton

- Helps support the engine while in the engine stand.

STAE-W1155 | 0.3 Ton



Engine Lifter 2 Ton

- A must have for lifting engines, machinery and all heavy components.
- This 2 ton folding engine hoist is ideal for moving, repair, maintenance and assembly.
- Its folding design is easy to transport and store.
- Four swivel castors provide easy manoeuvring and positioning.
- Lifting Range: 25mm to 2380mm | Length: 1800mm
Width: 1040mm | Height: 1568mm

LIFE-W1202 | 2.0 Ton x 2380mm Max



Engine Lifter 3 Ton

- A must have for lifting engines, machinery and all heavy components.
- This 3 ton folding engine hoist is ideal for moving, repair, maintenance and assembly.
- Its folding design is easy to transport and store.
- Four swivel castors provide easy manoeuvring and positioning.
- Lifting Range: 0mm to 2300mm

LIFE-W1201 | 3.0 Ton x 2300mm Max



Hydraulic Ram 3.0 Ton

- 2 Speed Pump.
- Clevis Mount.
- Lifting Range: 620-1115mm

RAMH-W1467 | 3.0 Ton



Hydraulic Ram 3.0 Ton

- Clevis Mount.
- Replacement Ram to suit 1 Ton Engine Lifter.
- Lifting Range: 620-1115mm

RAMH-W1468 | 3.0 Ton



Hydraulic Ram 8.0 Ton

- Flat Base mount.
- Lifting Range: 670-1165mm

RAMH-W1469 | 8.0 Ton



Hydraulic Ram 8.0 Ton

- Clevis Mount.
- Replacement Ram to suit 2 Ton Engine Lifter.
- Lifting Range: 630-1120mm

RAMH-W1471 | 8.0 Ton



Hydraulic Ram 12.0 Ton

- Clevis Mount.
- Replacement Ram to suit 3 Ton Engine Lifter.
- Lifting Range: 650-1170mm

RAMH-W1473 | 12.0 Ton



Hydraulic Oil 32 Grade 1 Litre

- Quality refill oil for hydraulic tools and workshop equipment.

OILH-W1018 | 1.0 Ltr



Air / Hydraulic Quad Lifter

- Lift Quad bikes and motorcycles to a comfortable level for maintenance and cleaning.
- Sturdy steel construction.
- Single hydraulic lifting cylinder.
- Used for snow mobiles and garden tractors as well.
- Min Height: 170mm | Max Height: 980mm
Length: 2755mm | Width: 1200mm
Length without Extensions: 2250mm
Width without Extensions: 800mm

LIFQ-W1703 | 500kg x 980mm Max



UTV / Mower Service Lifter

- Lift Quad bikes, ride on mowers and similar vehicles to a comfortable level for maintenance and cleaning.
- Sturdy steel construction.

LIFQ-W1703E | 1,000Kg



Chain Block

- Robust and reliable.
- Lift and hold equipment and heavy items safely.
- CHAB-W1251: Lift: 3m | Hook to Hook: 240mm
- CHAB-W1253: Lift: 3m | Hook to Hook: 380mm

CHAB-W1251 | 0.5 Ton x 3M

CHAB-W1253 | 2.0 Ton x 3M



Lever Hoist Block

- Versatile and reliable.
- Lift and shift heavy items and equipment safely.

CHAL-W1255 | 0.75 Ton x 1.5M

CHAL-W1256 | 1.0 Ton x 1.5M

CHAL-W1257 | 2.0 Ton x 1.5M



Hydraulic Press 15 Ton

- Handy floor standing type hydraulic press for light workshop use.
- Height: 1570mm | Width: 490mm | Bed O/S: 202mm
Bed I/S: 98mm | Stroke: 150mm

PREH-W1304B | 15 Ton



Hydraulic Press 20 Ton

- Handy floor standing type hydraulic press for light workshop use.
- Height: 1620mm | Width: 750mm | Bed O/S: 300mm
Bed I/S: 185mm | Stroke: 170mm

PREH-W1304 | 20 Ton



Hydraulic Press 22 Ton

- Handy floor standing type hydraulic press for workshop use with 2 speed pump.
- Industrial level equipment, suited to pressing, forming and bending jobs.
- Height: 1570mm | Width: 527mm | Stroke: 160mm

PREH-W1304C | 22 Ton



Hydraulic Press 45 Ton

- Handy floor standing type hydraulic press for workshop use with 2 speed pump.
- Industrial level equipment, suited to pressing, forming and bending jobs.
- Height: 1700mm | Width: 1000mm | Bed O/S: 380mm
Bed I/S: 230mm | Stroke: 200mm

PREH-W1305 | 45 Ton



Spring Compressor 4.0 Ton

- Used in the disassembly and assembly of strut type shock absorbing springs.
- Max Working Height: 570mm
Min Working Height: 240mm
Min Lower Support Height: 540mm
Max Lower Support Height: 860mm
Max Strut Diameter: 60mm
Hydraulic Stroke: 320mm

COMS-W1306 | 4.0 Ton x 320mm



Press & Pull Kit (28 pce)

- Ideal Push/Pull kit for the workshop.
- Kit consists of:
20 x Press sleeves ID Range 34-72mm
and OD Range: 44-82mm
4 x Step plates
4 x Spindle threads with thrust bearings

PULD-W1300



Porta Power Kit

- Every workshop should have at least 1 Porta Power Kit.
- Designed for pressing, spreading, lifting, straightening and clamping in workshops and collision repair centres.
- Kits consist of:
Hand Pump, Hose, Cylinder Ram, Spreader Ram, Rubber Head, Rubber Faced Flat Base, Ram Toe, Plunger Toe, Wedge Head, 90 Degree V-Base, Serrated Saddle, Male Thread Adapter, Assorted Extension Tubes

PULD-W1308 | 4 Ton

PULD-W1309 | 10 Ton

PULD-W1310 | 20 Ton



Hydraulic Lifting Table

- Transport heavy tools around the workshop safely.
- Reduce risks of injury when lifting or lowering parts and machinery.
- LIFT-W1656: Min Height: 260mm | Max Height: 730mm
Table Dimension Length 820mm x Width 520mm
- LIFT-W1656A: Min Height: 260mm | Max Height: 730mm
Table Dimension Length 820mm x Width 520mm
- LIFT-W1656B: Min Height: 360mm
Max Height: 1350mm

LIFT-W1656 | 350 Kg x 730mm Max

LIFT-W1656A | 350 Kg x 730mm Max

LIFT-W1656B | 400 Kg x 1350mm Max



Pallet Jacks

- A pallet jack, also known as a pallet truck is a tool used to lift and move pallets.
- JACP-W1601: Min Fork Height: 55mm
Max Fork Height: 161mm | Fork Length: 1100mm
Fork Width: 150mm | Width over Forks: 550mm
- JACP-W1602: Min Fork Height: 75mm
Max Fork Height: 195mm | Fork Length: 1220mm
Fork Width: 160mm | Width over Forks: 550mm
- JACP-W1604: Min Fork Height: 85mm
Max Fork Height: 190mm | Fork Length: 1150mm
Width over Forks: 520mm

JACP-W1601 | 1.50 Ton Super Low

JACP-W1602 | 1.50 Ton

JACP-W1604 | 1.0 Ton Low Profile



Pallet Jack High Profile 1000kg

- A pallet jack, also known as a pallet truck is a tool used to lift and move pallets.
- This jack is composed of 3-stage piston rods creating light pumping while giving strong rigidity.
- Support legs come into operation automatically to prevent it from moving when the forks are raised.
- Jack automatically slows the descending speed when heavy goods are loaded to help prevent goods being damaged.
- Min Fork Height: 85mm | Max Fork Height: 800mm
Fork Length: 1150mm | Fork Width: 160mm
Width over Forks: 520mm | Steering Wheel: 180 x 50mm
Fork Wheel: 74 x 50mm | Turning Radius: 210 degrees

JACP-W1603 | 1.0 Ton

Dial Indicator Metric

- Standard Dial Indicator.
- 10mm Dial Indicator
- Increments of 0.01mm



MEAD-W1522 | 10mm x 0.01mm

Magnetic Base to Suit

Dial Test Indicator

- Standard Magnetic Base.
- Magnetic Base to Suit Dial Test Indicator



MEAD-W1523

Micrometer Metric

Brake Disc

- Micrometer for measuring disk brake caliper thickness.



MEAB-W1519 | 7.6mm - 33mm

MEAB-W1520 | 25mm - 50mm

Micrometer Imperial

- Well priced, good quality Micrometer.



MEAM-W1508 | 0 - 1"

MEAM-W1509 | 1" - 2"

Micrometer Metric



MEAM-W1510 | 0 - 25mm

MEAM-W1511 | 25 - 50mm

MEAM-W1513 | 75 - 100mm

Micrometer Metric Set



MEAM-W1514 | 0 - 100mm

MEAM-W1515 | 100mm - 200mm

Vernier Metric & Imperial

- Well priced, good quality Vernier Caliper.



MEAC-W1501 | 6" x 1/16th Increments

MEAC-W1502 | 8" x 1/16th Increments

Digital Caliper Metric & Imperial

- Well priced, good quality Digital Vernier Caliper.



MEAC-W1504 | 6"

MEAC-W1505 | 8"



Bench Vices

- With fixed base for stable working.
- Integrated Anvil for striking work.
- High quality thread for smooth winding.
- Durable SG Iron.

VICB-W1401 | 4"

VICB-W1402 | 6"



Steel Workshop Creeper with Adjustable Head Rest

- 6-Wheel Creeper for easy manoeuvrability.
- Adjustable Head rest for comfort.

CRES-W1352 | 8.5kg



Plastic Workshop Creeper

- 6-Wheel Creeper for easy manoeuvrability.
- Lightweight, transportable.

CRES-W1353 | 6.5kg



Hydraulic Adjustable Creeper Seat

- Creeper Seat including Tool Tray.
- Helpful for working at low height in a sitting position.

CRES-W1355 | 4.9kg



Tool Chest 9 Drawer

- Black 9 Draw Tool Chest with Ball Bearing Slides.
- Width: 660mm | Depth: 310mm | Height: 435mm

TOCC-W1780B



Tool Rolling Cabinet 7 Drawer

- 7 Draw Rolling Cabinet with Ball Bearing Slides.
- Width: 680mm | Depth: 458mm | Height: 860mm

TOCR-W1758B | 7 Drawer



Tool Cart Trolley

- 3 Tier Tool Cart Trolley for safe transfer of tools and parts around the workshop.
- Lockable rear wheels.
- Robust steel construction.
- Length : 730mm | Width : 380mm | Height : 790mm

CART-W1652 | 730mmL x 380mmW x 790mmH x 150 Kg



Tool Cart Trolley with Drawer

- 3 Tier Tool Cart Trolley for safe transfer of tools and parts around the workshop.
- Includes easy-access drawer.
- Lockable rear wheels.
- Robust steel construction.
- Drawer specifications :
Width : 350mm | Height : 100mm

CART-W1653 | 730mmL x 380mmW x 790mmH x 150 Kg



Work Bench with 2 Drawers

- Sturdy steel construction.
- Easy to assemble.
- Bench:
Length: 1500mm
Width: 640mm
Height: 870mm
- Drawer:
Length: 345mm
Depth: 420mm
Height: 120mm
Shipping Weight: 78Kg

WORB-W1654



Work Bench with 3 Drawers

- Sturdy steel construction.
- Easy to assemble.
- Bench:
Length: 2000mm
Width: 640mm
Height: 870mm
- Drawer:
Length: 345mm
Depth: 420mm
Height: 120mm
Shipping Weight: 110Kg

WORB-W1655R



Oil Pan 18 Litre

- Oil Pan can be used in conjunction with Rack Stand ODRR-W1803.
- Funnel Diameter 460mm
- Removable Mesh Tray

ODRR-W1802 | 18L

Oil Drain Rack Stand

- Oil Drain Rack for Oil Pan ODRR-W1802.
- Height Adjustment: 996mm-1550mm



ODRR-W1803 | 966mm - 1550mm

Parts Washer 40 Gallon

- Mechanical device designed to remove grit, grime, oil, miscellaneous debris, dirt, paint, and other contaminating substances from parts in preparation for their use in assembly operations, packaging, or coating.
- Max Working Capacity: 30 Gallons
Min Working Capacity: 20 Gallons
Pump Output: 240 GPH | Air Consumption: 6 CFM
Dimensions: 1140L x 530W x 300mmD



PARW-W1853A



Sandblasting Cabinet

- Cleans parts quickly and easily.
- For use with Glass Beads or Sand.
- Air Pressure: 100PSI | Air Consumption: 15CFM

SAND-W1902



Sand Bag 25Kg

- Garnet medium for Sandblasters.
- C Grade Super Garnet

SAND-W1904



Sand Blasting Gun

- Sandblasting Gun for Sandblasters.

SAND-W1905



Sand Blasting Gloves

- Sandblasting Gloves for Sandblasters.

SAND-W1906



Wheel Brace - Truck

- Double-ended Wheel Brace for the removal and reinstallation of wheel nuts.

WHEB-W2055 | 32mm x 17mm

WHEB-W2057 | 38mm x 20mm

WHEB-W2062 | 38mm x 21mm

WHEB-W2059 | 41mm x 21mm



Wheel Brace 4-way Imperial

- 4 Way Brace with common imperial sizes.

WHEB-W2052 | 11/16", 3/4", 13/16", 7/8"



Air Tanks

- Extra compressed air storage tank.
- Take it with you to inflate tyres, operate tools.
- Handy for Cart Racing pit crews, mobile mechanics.
- Easy to fill from an air compressor.

TANA-W2102 | 5 Gallon

TANA-W2101 | 11 Gallon

	Index	Code	Product Description	Parts 1	Parts 2	Parts 3	Parts 4	Parts 5	Parts 6	Parts 7	Parts 8
Jacks	JACG-W100A	Garage Jack 2.5 Ton	W1000A-TS83502.6 - Saddle	W1000A-QLZ2J-6 - Front Wheel	W1000A-T830021.5 - Rear Castor Assembly	W1000A-T830021.MF - Seal Kit	W1000A-T83502.2a - Power Unit Assembly (Ram)				
Jacks	JACG-W1001	Garage Jack Super Low 2.1 Ton	W1001-SP138 - Ram	W1001-SP141A - Saddle	W1001-SP243B - Seal Kit	W1001-SP107A - Swivel Wheel	W1001-SP124B - Front Wheel				
Jacks	JACG-W1021	Garage Jack Super Low 2.1 Ton	W1021-001 - Power Assembly Unit	W1021-012 - Saddle	W1021-044 - Seal Kit	W1021-016 - Front Wheel	W1021-021 - Rear Wheel Assembly				
Jacks	JACG-W1004A	Race Jack Steel/Alloy 2.5 Ton	W1004A-SP123EA - Swivel Wheel	W1004A-SP123EB - Front Wheel	W1004A-SP137B - Ram	W1004A-SP141F - Rubber Pad	W1004A-SP243KAA - Seal Kit				
Jacks	JACG-W1001BD	Garage Jack Super Low 3.0 Ton	W1001BD-SP100A - Handle Spring	W1001BD-SP123D - Swivel Wheel	W1001BD-SP137D - Ram	W1001BD-SP139A - Rubber Pad	W1001-SP243BA - Seal Kit				
Jacks	JACG-W1006	Garage Jack Long 3.0 Ton	W1006-SP108A - Swivel Wheel	W1006-SP138B - Ram	W1006-SP147 - Handle Socket	W1006-SP243V - Seal Kit					
Jacks	JACG-W1007	Garage Jack Long 5.0 Ton	W1007-SP100 - Swivel Wheel	W1007-SP133 - Ram	W1007-SP150D - Handle	W1007-SP243AN - Seal Kit	W1007-SP250A - Universal				
Jacks	JACH-W1010	Hydraulic Air Jack 20.0 Ton	W1010-SP130C - Wheel	W1010-SP242B - Seal Kit	W1010-SP242C - Seal Kit (Air Motor)	W1010-SP250C - Universal	W1010-SP319A - Air Motor				
Jacks	JACH-W1011	Hydraulic Air Jack 50.0 Ton	W1011-SP130D - Wheel	W1011-SP2430 - Universal							
Bottle Jacks	JACB-W1461	Hydraulic Bottle Jack 20.0 Ton	W1461-SP243YC - Seal Kit								
Bottle Jacks	JACB-W1464	Hydraulic Bottle Jack 50.0 Ton	W1464-SP243YF - Seal Kit								
Bottle Jacks	JACB-W1465	Air / Hydraulic Bottle Jack 12.0 Ton	W1465-SP220 - Air Button	W1465-SP243VG - Seal Kit	W1011-SP243P - Air Motor						
Trans Jacks	JACT-W1101	Transmission Lifter 500kg	W1101-SP181 - Foot Pedal	W1101-SP243C - Seal Kit	W1101-WHEEL2-1 - Castor Wheel	W1101-WHEEL2-2 - Castor Wheel					
Trans Jacks	JACT-W1102	Transmission Jack 1,000kg	W1102-SP118A - Swivel Wheels	W1102-SP243F - Seal Kit							
Trans Jacks	JACT-W1106	Truck Transmission Lifter 1.5 Ton	W1106-SP123N - Swivel Wheel	W1106-SP137C - Ram	W1106-SP243KA - Seal Kit						
Engine Lifters & Stands	STAE-W1152	Engine Stand 1,000lb	W1152-SP131 - Fixed Wheel		W1152-SP152 - Adjustable Arms (x4)	W1152-SP153 - Rotating Head					
Engine Lifters & Stands	LIFE-W1202	Engine Lifter 2 Ton	W1202-SP116 - Swivel Wheel (Big)	W1202-SP115 - Swivel Wheel (Small)	RAMH-W1471 - Ram						
Engine Lifters & Stands	LIFE-W1201	Engine Lifter 3 Ton	W1201-SP124C - Front Wheel	RAMH-W1473 - Ram							

Index	Code	Product Description	Parts 1	Parts 2	Parts 3	Parts 4	Parts 5	Parts 6	Parts 7	Parts 8
Rams	RAMH-W1467	Hydraulic Ram 3.0 Ton	W1467-SP243YJ - Seal Kit							
Rams	RAMH-W1468	Hydraulic Ram 3.0 Ton	W1467-SP243YJ - Seal Kit							
Rams	RAMH-W1471	Hydraulic Ram 8.0 Ton	W1471-SP243D - Seal Kit							
Shop Presses	PREH-W1304B	Hydraulic Press 15 Ton	W1304B-SP238I - Ram	W1304B-SP238K - Gauge	W1304B-SP243KF - Seal Kit	W1305-SP172B - Winch	W1305-SP172D - Wire Rope			
Shop Presses	PREH-W1304C	Hydraulic Press 22 Ton	W1304C-TL05004-01 - Gauge	W1304C-TL05004-29 - Pump	W1305-SP170B - Air \ Hydraulic Pump	W1305-SP171 - Ram	W1306-SP238G - Spring Clasp Holder	W1306-SP238H - Ram		
Shop Presses	PREH-W1305	Hydraulic Press 45 Ton	W1305-SP170 - Pump	W1305-SP170A - Seal for Ram	W1306-SP238F - Clasp Bracket	W1306-SP238FF - Strut Holder				
Shop Presses	COMS-W1306	Spring Compressor 4.0 Ton	W1306-SP138G - Clasp Holder	W1306-SP238EF - Strut Hook	W1300-SP323B - 12mm Threaded Rod	W6128-SP322C - 16mm Threaded Rod	W1308-SP143E - Base Plate	W1308-SP178 - Ram	W1309-SP179 - Spreader	
Porta Power Kits	PULD-W1300	Press & Pull Kit (28 pce)	W1300-SP323A - 10mm Threaded Rod	W1300-SP323B - 12mm Threaded Rod	W1300-SP323C - 14mm Threaded Rod	W6128-SP322C - 16mm Threaded Rod	W1308-SP143D - Base			
Porta Power Kits	PULD-W1308	Porta Power Kit 4 Ton	W1308-SP143A - Ram Toe	W1308-SP143B - Rubber Head	W1308-SP143C - Cleft Cap	W1309-SP177A - Pump	W1309-SP179 - Spreader			
Porta Power Kits	PULD-W1309	Porta Power Kit 10 Ton	W1309-SP177 - Ram	W1309-SP177A - Pump	W1309-SP177A - Pump	W1309-SP179 - Spreader				
Pallet Jacks	JACP-W1601	Pallet Jack Super Low 1500kg	W1601-SP350A - Rear Wheel	W1601-SP351 - Single Wheel Assembly	W1602-SP350B - Seals					
Pallet Jacks	JACP-W1602	Pallet Jack 1500kg	W1602-SP243YK - Seal Kit							
Bench Vices	VICB-W1401	Bench Vice	W1401-SP230A - Jaws							
Bench Vices	VICB-W1402	Bench Vice	W1402-SP230 - Jaws							
Creeper Seats	CRES-W1352	Steel Workshop Creeper with Adjustable Head Rest	W1352-TR6452-6 - Caster Wheel Set							
Creeper Seats	CRES-W1353	Plastic Workshop Creeper	W1353-SP119A - Swivel Wheels							
Creeper Seats	CRES-W1355	Hydraulic Adjustable Creeper Seat	W1355-SP119B - Swivel Wheels							
Sandblasters	SAND-W1902	Sandblasting Cabinet	W1901-SP244A - Protective Film	W1901_2-SP245 - Perspex	W1903-SP239 - Ceramic Nozzle					



Proudly Distributed in New Zealand by
HOBEC
25 Andrew Baxter Drive,
Mangere, Auckland 2022
www.hobeca.co.nz

wayco
EQUIPMENT